

Package: balnet (via r-universe)

May 26, 2026

Title Pathwise Estimation of Covariate Balancing Propensity Scores

Version 0.0.3

Description Provides pathwise estimation of regularized logistic propensity score models using covariate balancing loss functions rather than maximum likelihood. Regularization paths are fit via the 'adelle' elastic-net solver with a 'glmnet'-like interface, yielding balancing weights that target covariate balance for the ATE and ATT. Under lasso penalization, lambda bounds the maximum covariate imbalance, so the regularization path traces a sequence of decreasing imbalance tolerances. For details, see Sverdrup & Hastie (2026) [doi:10.48550/arXiv.2602.18577](https://doi.org/10.48550/arXiv.2602.18577).

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

LinkingTo Rcpp, RcppEigen

SystemRequirements C++17

Imports Rcpp, Matrix, methods

Suggests testthat (>= 3.0.0), knitr, rmarkdown

URL <https://github.com/erikcs/balnet>

BugReports <https://github.com/erikcs/balnet/issues>

VignetteBuilder knitr

NeedsCompilation yes

Author Erik Sverdrup [aut, cre], Trevor Hastie [aut], James Yang [ctb]
(Author of the bundled adelle C++ library.)

Maintainer Erik Sverdrup <erik.sverdrup@monash.edu>

Repository <https://anumbat.r-universe.dev>

Date/Publication 2026-05-26 04:38:52 UTC

RemoteUrl <https://github.com/cran/balnet>

RemoteRef HEAD

RemoteSha ac903abf8af4776d3d047f4d204ecbd4f534713f

Contents

| | |
|-------------------|-----------|
| balnet | 2 |
| balweights | 5 |
| coef.balnet | 6 |
| coef.cv.balnet | 7 |
| cv.balnet | 8 |
| plot.balnet | 9 |
| plot.cv.balnet | 10 |
| predict.balnet | 11 |
| predict.cv.balnet | 12 |
| print.balnet | 13 |
| print.cv.balnet | 14 |
| summary.balnet | 14 |
| summary.cv.balnet | 15 |
| Index | 16 |

| | |
|--------|--|
| balnet | <i>Pathwise estimation of covariate balancing propensity scores.</i> |
|--------|--|

Description

Fits regularized logistic regression models using covariate balancing loss functions, yielding balancing weights targeting the ATE, ATT, or treated/control means.

Usage

```
balnet(
  X,
  W,
  target = c("ATE", "ATT", "treated", "control"),
  sample.weights = NULL,
  max.imbalance = NULL,
  nlambda = 100L,
  lambda.min.ratio = 0.01,
  lambda = NULL,
  penalty.factor = NULL,
  groups = NULL,
  alpha = 1,
  standardize = TRUE,
  tol = 1e-07,
  maxit = as.integer(1e+05),
  verbose = FALSE,
  num.threads = 1L,
  ...
)
```

Arguments

| | |
|-------------------------------|---|
| <code>X</code> | A numeric matrix or data frame with pre-treatment covariates. |
| <code>W</code> | Treatment vector (0 = control, 1 = treated). |
| <code>target</code> | The target estimand. Default is "ATE". |
| <code>sample.weights</code> | Optional sample weights. If NULL (default), each unit receives the same weight. |
| <code>max.imbalance</code> | Optional upper bound on the standardized covariate imbalance. For lasso penalization (<code>alpha = 1</code>), there is a one-to-one correspondence between the penalty parameter λ and the maximum allowable covariate imbalance. When supplied, <code>max.imbalance</code> is used to adjust the lambda sequence (via <code>lambda.min.ratio</code>) so that the generated sequence ends at the specified imbalance level. |
| <code>nlambda</code> | Number of values for lambda if generated automatically. Default is 100. |
| <code>lambda.min.ratio</code> | Ratio of smallest to largest lambda. Default is 1e-2. |
| <code>lambda</code> | Optional lambda sequence. By default, it is constructed automatically using <code>nlambda</code> and <code>lambda.min.ratio</code> (or <code>max.imbalance</code> , if specified). |
| <code>penalty.factor</code> | Penalty factor per feature. Default is 1 (i.e., each feature receives the same penalty). If groups are specified, the penalty factors default to the square root of each group size. |
| <code>groups</code> | Optional list of group indices for group penalization. |
| <code>alpha</code> | Elastic net mixing parameter. Default is 1 (lasso), 0 corresponds to ridge. For <code>alpha = 0</code> , the lambda sequence is constructed using a small positive alpha value (similar to <code>glmnet</code>), since $\lambda_{max} \rightarrow \infty$ as $\alpha \rightarrow 0$. |
| <code>standardize</code> | Whether to standardize the input matrix. Should only be FALSE if X already has zero-mean columns with unit variance. For <code>target = "ATT"</code> , standardization should be based on the treated group. |
| <code>tol</code> | Coordinate descent convergence tolerance. Default is 1e-7. |
| <code>maxit</code> | Maximum number of coordinate descent iterations. Default is 1e5. |
| <code>verbose</code> | Whether to display information during fitting. Default is FALSE. |
| <code>num.threads</code> | Number of threads to use. Default is 1. |
| <code>...</code> | Additional internal arguments passed to the solver. |

Details

This function aims to find balancing weights $\hat{\gamma}_i$, using logistic propensity scores, that balance covariate means to a target vector, i.e.,

$$\frac{1}{n} \sum_{i=1}^n \hat{\gamma}_i X_i = \bar{X}_{\text{target}}.$$

With lasso regularization (`alpha = 1`), imbalance is controlled in the ℓ_∞ sense, allowing absolute slack of at most λ per covariate.

For `target = "ATE"`, two logistic models are fit, one per arm, with

$$\hat{\gamma}_i^{(1)} = \frac{W_i}{\hat{e}^{(1)}(X_i)}, \quad \hat{\gamma}_i^{(0)} = \frac{1 - W_i}{1 - \hat{e}^{(0)}(X_i)}, \quad \bar{X}_{\text{target}} = \frac{1}{n} \sum_{i=1}^n X_i.$$

$\hat{e}^{(w)}(X_i)$ is the fitted propensity score for arm w . For target = "ATT", weights balance the control means:

$$\hat{\gamma}_i = (1 - W_i) \frac{\hat{e}^{(0)}(X_i)}{1 - \hat{e}^{(0)}(X_i)}, \quad \bar{X}_{\text{target}} = \frac{1}{\sum W_i} \sum_{i=1}^n W_i X_i.$$

Value

A fit balnet object.

References

Sverdrup, Erik and Trevor Hastie. "balnet: Pathwise Estimation of Covariate Balancing Propensity Scores". arXiv preprint, arXiv:2602.18577, 2026.

Examples

```
# Simulate data with confounding.
n <- 2000
p <- 10
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1.5 + exp(X[, 2] + X[, 3])))
Y <- W + 2 * log(1 + exp(X[, 1] + X[, 2] + X[, 3])) + rnorm(n)

# Fit model targeting the ATE = E[Y(1)] - E[Y(0)].
# Two logistic models are fit: one for treated, one for control.
fit <- balnet(X, W, target = "ATE")

# Print path summary.
print(fit)

# Visualize the path.
plot(fit)

plot(fit, lambda = 0)

# Predict propensity scores at end of lambda path.
W.hat <- predict(fit, X, lambda = 0)

# Get balancing weights at end of lambda path.
ipw.weights <- balweights(fit, lambda = 0)

# Estimate ATE using balancing weights.
mean(Y * (ipw.weights$treated - ipw.weights$control))
```

| | |
|------------|--|
| balweights | <i>Extract balancing weights from a balnet object.</i> |
|------------|--|

Description

Convenience method for extracting the estimated balancing weights $\hat{\gamma}$. Under unconfoundedness, these correspond to inverse probability weights (IPW) for standard treatment effect estimands and are computed from the fitted covariate balancing propensity scores.

Usage

```
balweights(object, lambda = NULL, ...)

## S3 method for class 'balnet'
balweights(object, lambda = NULL, ...)

## S3 method for class 'balweights.contrast'
print(x, ...)

## S3 method for class 'balweights.contrast'
summary(object, ...)

## S3 method for class 'cv.balnet'
balweights(object, lambda = "lambda.min", ...)
```

Arguments

| | |
|--------|---|
| object | A balnet object. |
| lambda | Value(s) of the penalty parameter lambda at which weights are required. <ul style="list-style-type: none"> • If NULL (default), the full lambda path from the fit is used. • If new values are supplied, linear interpolation is performed. For dual-arm fits (target = "ATE"), lambda can be a list or two-column matrix: the first element/column corresponds to the control arm and the second to the treatment. |
| ... | Additional arguments (currently ignored). |
| x | A balweights.contrast object. |

Value

Estimated balancing weights (for dual-arm fits, returns a list with entries for each arm).

Examples

```
n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
```

```

W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
fit <- balnet(X, W, target = "ATT")

# Extract balancing weights over fit lambda sequence.
wts <- balweights(fit)

# Extract balancing weights at specified lambda.
wts <- balweights(fit, lambda = 0)

```

| | |
|--------------------------|---|
| <code>coef.balnet</code> | <i>Extract coefficients from a balnet object.</i> |
|--------------------------|---|

Description

Extract coefficients from a balnet object.

Usage

```

## S3 method for class 'balnet'
coef(object, lambda = NULL, ...)

## S3 method for class 'coef.balnet.contrast'
print(x, ...)

## S3 method for class 'coef.balnet.contrast'
summary(object, ...)

```

Arguments

| | |
|---------------------|--|
| <code>object</code> | A balnet object. |
| <code>lambda</code> | Value(s) of the penalty parameter lambda at which coefficients are required. <ul style="list-style-type: none"> • If NULL (default), the full lambda path from the fit is used. • If new values are supplied, linear interpolation is performed. For dual-arm fits (target = "ATE"), lambda can be a list or two-column matrix: the first element/column corresponds to the control arm and the second to the treatment. |
| <code>...</code> | Additional arguments (currently ignored). |
| <code>x</code> | A <code>coef.balnet.contrast</code> object. |

Value

Estimated logistic coefficients (for dual-arm fits, returns a list with entries for each arm).

Examples

```

n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
fit <- balnet(X, W, target = "ATT")

# Extract coefficients over fit lambda sequence.
coefs <- coef(fit)

# Extract coefficients at specified lambda.
coefs <- coef(fit, lambda = 0)

```

| | |
|----------------|--|
| coef.cv.balnet | <i>Extract coefficients from a cv.balnet object.</i> |
|----------------|--|

Description

Extract coefficients from a cv.balnet object.

Usage

```

## S3 method for class 'cv.balnet'
coef(object, lambda = "lambda.min", ...)

```

Arguments

| | |
|--------|--|
| object | A cv.balnet object. |
| lambda | The lambda to use. Defaults to the cross-validated lambda. |
| ... | Additional arguments (currently ignored). |

Value

Estimated logistic coefficients (for dual-arm fits, returns a list with entries for each arm).

Examples

```

n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
cv.fit <- cv.balnet(X, W, target = "ATT")

```

```
# Extract coefficients at cross-validated lambda.
coefs <- coef(cv.fit)
```

cv.balnet

Cross-validation for balnet.

Description

Cross-validation for balnet.

Usage

```
cv.balnet(
  X,
  W,
  type.measure = c("balance.loss"),
  nfolds = 10,
  foldid = NULL,
  ...
)
```

Arguments

| | |
|--------------|--|
| X | A numeric matrix or data frame with pre-treatment covariates. |
| W | Treatment vector (0: control, 1: treated). |
| type.measure | The loss to minimize for cross-validation. Default is balance loss. |
| nfolds | The number of folds used for cross-validation, default is 10. |
| foldid | An optional n-vector specifying which fold 1 to nfold a sample belongs to. If NULL, this defaults to <code>sample(rep(seq(nfolds), length.out = nrow(X)))</code> . |
| ... | Arguments for balnet . |

Value

A fit cv.balnet object.

Examples

```
n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATE model.
cv.fit <- cv.balnet(X, W)
```

```
# Print CV summary.
print(cv.fit)

# Plot at cross-validated lambda.
plot(cv.fit)

# Predict at cross-validated lambda.
W.hat <- predict(cv.fit, X)
```

plot.balnet

Plot diagnostics for a balnet object.

Description

Shows effective sample size (ESS) and percent bias reduction (PBR; reduction in mean absolute imbalance) along the regularization path, computed from balancing weights and normalized to percentages. The right-hand axis maps these values to the coefficient of variation (CV) of the weights. Supplying the lambda argument displays the standardized covariate imbalance $(\bar{X}_{\text{weighted}} - \bar{X}_{\text{target}}) / \sigma_{\text{target}}$, computed using the balancing weights at the specified lambda.

Usage

```
## S3 method for class 'balnet'
plot(x, lambda = NULL, groups = NULL, max = NULL, ...)
```

Arguments

| | |
|--------|---|
| x | A balnet object. |
| lambda | If NULL (default) diagnostics over the lambda path is shown. Otherwise, covariate balance at provided lambda value is shown (if target = "ATE", lambda can be a 2-vector, arm 0 and arm 1.) |
| groups | Optional named list of contiguous covariate index ranges to aggregate into a single variable before computing covariate imbalance (e.g., list(demographics = 4:12)). |
| max | The number of covariates to display in covariate balance plot. Defaults to all covariates. |
| ... | Additional arguments. |

Value

Invisibly returns the information underlying the plot.

Examples

```

n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
fit <- balnet(X, W, target = "ATT")

# Plot the five covariates with the largest unweighted imbalance
plot(fit, lambda = 0, max = 5)

```

plot.cv.balnet *Plot diagnostics for a cv.balnet object.*

Description

Plot diagnostics for a cv.balnet object.

Usage

```

## S3 method for class 'cv.balnet'
plot(x, lambda = "lambda.min", ...)

```

Arguments

| | |
|--------|--|
| x | A cv.balnet object. |
| lambda | The lambda to use. Defaults to the cross-validated lambda. |
| ... | Additional arguments. |

Value

Invisibly returns the information underlying the plot.

Examples

```

n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
cv.fit <- cv.balnet(X, W, target = "ATT")

# Plot at cross-validated lambda.
plot(cv.fit)

```

predict.balnet *Predict using a balnet object.*

Description

Predict using a balnet object.

Usage

```
## S3 method for class 'balnet'  
predict(object, newdata, lambda = NULL, type = c("response", "link"), ...)
```

Arguments

| | |
|---------|---|
| object | A balnet object. |
| newdata | A numeric matrix. |
| lambda | Value(s) of the penalty parameter lambda at which coefficients are required. <ul style="list-style-type: none">• If NULL (default), the full lambda path from the fit is used.• If new values are supplied, linear interpolation is performed. For dual-arm fits (target = "ATE"), lambda can be a list or two-column matrix: the first element/column corresponds to the control arm and the second to the treatment. |
| type | The type of predictions. Default is "response" (propensity scores). |
| ... | Additional arguments (currently ignored). |

Value

Estimated predictions (for dual-arm fits, returns a list with entries for each arm).

Examples

```
n <- 100  
p <- 25  
X <- matrix(rnorm(n * p), n, p)  
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))  
  
# Fit an ATT model.  
fit <- balnet(X, W, target = "ATT")  
  
# Predict propensity scores over fit lambda sequence.  
W.hat <- predict(fit, X)
```

predict.cv.balnet *Predict using a cv.balnet object.*

Description

Predict using a cv.balnet object.

Usage

```
## S3 method for class 'cv.balnet'  
predict(object, newdata, lambda = "lambda.min", type = c("response"), ...)
```

Arguments

| | |
|---------|---|
| object | A cv.balnet object. |
| newdata | A numeric matrix. |
| lambda | The lambda to use. Defaults to the cross-validated lambda. |
| type | The type of predictions. Default is "response" (propensity scores). |
| ... | Additional arguments (currently ignored). |

Value

Estimated predictions (for dual-arm fits, returns a list with entries for each arm).

Examples

```
n <- 100  
p <- 25  
X <- matrix(rnorm(n * p), n, p)  
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))  
  
# Fit an ATT model.  
cv.fit <- cv.balnet(X, W, target = "ATT")  
  
# Predict propensity scores at cross-validated lambda.  
W.hat <- predict(cv.fit, X)
```

| | |
|--------------|-------------------------------|
| print.balnet | <i>Print a balnet object.</i> |
|--------------|-------------------------------|

Description

Print a balnet object.

Usage

```
## S3 method for class 'balnet'  
print(x, digits = max(3L, getOption("digits") - 3L), max = 3, ...)
```

Arguments

| | |
|--------|---|
| x | A balnet object. |
| digits | Number of digits to print. |
| max | Total number of rows to show from the beginning and end of the path |
| ... | Additional print arguments. |

Value

Invisibly returns the printed information.

Examples

```
n <- 100  
p <- 25  
X <- matrix(rnorm(n * p), n, p)  
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))  
  
# Fit an ATT model.  
fit <- balnet(X, W, target = "ATT")  
  
# Print path summary.  
print(fit)
```

```
print.cv.balnet      Print a cv.balnet object.
```

Description

Print a cv.balnet object.

Usage

```
## S3 method for class 'cv.balnet'
print(x, digits = max(3L, getOption("digits") - 3L), ...)
```

Arguments

```
x                A cv.balnet object.
digits           Number of digits to print.
...              Additional print arguments.
```

Value

Invisibly returns the printed information.

Examples

```
n <- 100
p <- 25
X <- matrix(rnorm(n * p), n, p)
W <- rbinom(n, 1, 1 / (1 + exp(1 - X[, 1])))

# Fit an ATT model.
cv.fit <- cv.balnet(X, W, target = "ATT")

# Print CV summary.
print(cv.fit)
```

```
summary.balnet      Summarize a balnet object.
```

Description

Summarize a balnet object.

Usage

```
## S3 method for class 'balnet'  
summary(object, ...)
```

Arguments

| | |
|--------|-------------------------------|
| object | balnet object. |
| ... | Additional summary arguments. |

Value

Returns the printed information.

| | |
|-------------------|--------------------------------------|
| summary.cv.balnet | <i>Summarize a cv.balnet object.</i> |
|-------------------|--------------------------------------|

Description

Summarize a cv.balnet object.

Usage

```
## S3 method for class 'cv.balnet'  
summary(object, ...)
```

Arguments

| | |
|--------|-------------------------------|
| object | cv.balnet object. |
| ... | Additional summary arguments. |

Value

Returns the printed information.

Index

balnet, [2](#), [8](#)
balweights, [5](#)

coef.balnet, [6](#)
coef.cv.balnet, [7](#)
cv.balnet, [8](#)

plot.balnet, [9](#)
plot.cv.balnet, [10](#)
predict.balnet, [11](#)
predict.cv.balnet, [12](#)
print.balnet, [13](#)
print.balweights.contrast (balweights),
[5](#)
print.coef.balnet.contrast
 (coef.balnet), [6](#)
print.cv.balnet, [14](#)

summary.balnet, [14](#)
summary.balweights.contrast
 (balweights), [5](#)
summary.coef.balnet.contrast
 (coef.balnet), [6](#)
summary.cv.balnet, [15](#)